

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A communication link protocol for communicating between a local node and a remote node nodes of an interconnect system via communication links, the communication link protocol comprising:

a direct memory access (DMA) write command for performing an inter-node DMA transfer of a block of data directly from [[a]] the local node to [[a]] the remote node via one of the communication links;

an administrative write command for writing data from [[a]] the local node to registers in [[a]] the remote node via one of the communication links for administrative purposes;

a memory copy write command for ~~mirroring a write to a local node to a remote nodes by writing copying~~ an entire line of memory from the local node to a corresponding line of memory at the remote node via one of the communication links ~~when after~~ a new data is written into the line of memory at the local node even when the new data is smaller than the line of memory at the local node; and

a built in self test (BIST) command for testing the functionality of one of the communication links.

Claim 2 (currently amended): The communication link protocol of Claim 1 wherein each command is conveyed between [[a]] the local node and [[a]] the remote node in the form of a respective command packet.

Claim 3 (original): The communication link protocol of Claim 2 wherein each respective command packet carries information for at least one command flag.

Claim 4 to 9 (canceled).

Claim 10 (currently amended): The communication link protocol of Claim 1, wherein said performing an inter-node DMA transfer of a block of data directly from [[a]] the local node to [[a]]

the remote node comprises copying the block of data from a local memory of the local node to a remote memory of the remote node.

Claim 11 (currently amended): The communication link protocol of Claim 1, wherein said performing an inter-node DMA transfer of a block of data directly from [[a]] the local node to [[a]] the remote node comprises computing parity over multiple blocks of data from a local memory of the local node and writing the parity to a remote memory of the remote node in a single operation.

Claim 12 (currently amended): The communication link protocol of Claim 1, wherein the memory copy write command comprises: said mirroring a write to a local node comprises:

reading existing data from the line of memory in a local memory of the local node;

merging the new data with the existing data so the new data replaces at least some existing data while other existing data remains;

writing merged data to the line of memory in the local memory of the local node;

transferring the merged data via one of the communication links to the remote node; and

writing the merged data to [[a]] the corresponding line of memory in a remote memory of the remote node.

Claim 13 (previously presented): The communication link protocol of Claim 12, wherein said writing the merged data to the corresponding line of memory in a remote memory of the remote node comprises writing the remote node using a same address offset of the line of memory at the local memory of the local node.